



NEPA/Planning Workshop

September 14, 2004



Case Studies



Missouri River Master Manual

Columbia River System Operation Review

NEPA/Planning Observations




Missouri River Mainstem System




Water Management Office, 12565 West Center Road, Omaha, NE 68144-3869 Internet Address: http://www.nwd-mr.usace.army.mil

Storage Capacity of Corps Lakes




Missouri River Mainstem System Storage Allocations



Total Storage = 73.4 MAF

Missouri River Mainstem Annual Runoff at Sioux City, Iowa





Interior Least Tern




Piping Plover



Pallid Sturgeon

RPA System Release Modifications






Missouri River Master Manual EIS



Observations

- 15 year process with changing problem statement and scope of alternatives
- Draft EISs
 - 3 drafts plus final
 - No preferred plan in drafts
- Court driven schedule (15-day public review of FEIS)
- Selected Plan
 - Meets ESA
 - Contains drought conservation measures
 - Adaptive Management









Operating Strategies



- Pre-ESA Operation (Optimum power)
- 94 ESA Operations
- Stable storage operations
- Natural River Operations (year round or partial)
- Fishery Agencies Options
- Preferred Alternative (95 BiOps)



Columbia River SOR EIS



Observations

- No without action alternative
- Wide range of operational alternatives
- Concurrent ESA consultation/NEPA to address changes in operations (OA/EIS, SEIS)
- Provides wide discretion for making operational changes (ROCASODs)





NEPA is procedural





- NEPA is procedural
- Range of Alternatives





- NEPA is procedural
- Range of Alternatives
- Focus on Issues





- NEPA is procedural
- Range of Alternatives
- Focus on Issues
- Tell your story





- NEPA is procedural
- Range of Alternatives
- Focus on Issues
- Tell your story
- Risks



Other Topics



- RODs who signs, etc
- Time for publishing and distribution
- Gov't to Gov't Consultation
- Cumulative Impacts
- Cooperating Agencies
- Environmental significance EA v. EIS
- Others?